



TURKISH ACCREDITATION AGENCY

ACCREDITATION CERTIFICATE

As a Testing Laboratory

Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi

Central Address: H.TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye

is accredited in accordance with TS EN ISO/IEC 17025:2017 standard within the scope given in Annex following the assessment conducted by TURKAK.

Accreditation Number : AB-0807-T

Accreditation Date : 16.04.2015

Revision Date / Number : 03.08.2023 / 10

This certificate shall remain in force until **07.12.2023**, subject to continuing compliance with the standard **TS EN ISO/IEC 17025:2017**, related regulations and requirements.

Gülden Banu Müderrisoğlu
Secretary General



Turkish Accreditation Agency (TURKAK) is a signatory to the European co-operation for Accreditation (EA) Multilateral Agreement (MLA) and International Laboratory Accreditation Cooperation (ILAC) Mutual Recognition Agreement (MRA) in the scope of ISO/IEC 17025.

This document has been signed by Gülden Banu Müderrisoğlu on {t} with a secure electronic signature in accordance with the electronic signature law numbered 5070. Use the QR code to verify the e-signed document.

 Test TS EN ISO/IEC 17025 AB-0807-T	Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi	
	Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023	
	Testing Laboratory	
Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye		Phone : +90 312 310 6776 Fax : - Email : tdkm@hacettepe.edu.tr Website :

Drugs, Biological Products and Pharmaceuticals

Akreditasyon süreçlerinde WADA ISL 2021 dokümanı esas alınmıştır.

Tested Materials / Products	Name of Test	Testing Method (National, International Standards, In-house Methods)
Urine (Human)	pH determination	In-house method
Urine (Human)	Specific Gravity Determination Refractometer Method	In-house method

This document has been signed by Gülden Banu Müderrisoğlu on {1} with a secure electronic signature in accordance with the electronic signature law numbered 5070. Use the QR code to verify the e-signed document.



Flexible Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p style="text-align: center;">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p style="text-align: center;">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <hr/> <p>Testing Laboratory</p> <hr/> <p>Address : H. TEPE ÜNİV. DÖNER SERMAYE İŞLTM. MÜDÜRL NO: Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : - Email : tdkm@hacettepe.edu.tr Website : -</p>
---	--

Drugs, Biological Products and Pharmaceuticals

Akreditasyon süreçlerinde WADA ISL 2021 dokümanı esas alınmıştır.

Tested Materials / Products	Name of Test	Testing Method (National, International Standards, In-house Methods)
2,3,42,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
2,3,42,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
2,3,42,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
2,3,42,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
2,3,42,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
2,3,42,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
2,3,42,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
2,3,42,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
2,3,42,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
2,3,42,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
2,3,42,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
2,3,42,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
2,3,42,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
2,3,42,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
2,3,42,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
2,3,42,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
2,3,42,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
2,3,42,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
2,3,42,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
2,3,42,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretili olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
2,3,42,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method</p>	In-house method
2,3,42,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method</p>	In-house method
2,3,42,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method</p>	In-house method
2,3,42,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method</p>	In-house method
2,3,42,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method</p>	In-house method
2,3,42,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method</p>	In-house method
2,3,42,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method</p>	In-house method
2,3,42,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method</p>	In-house method
2,3,42,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method</p>	In-house method
2,3,42,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method</p>	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretili olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye	Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :
2,3,42,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
2,3,42,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
2,3,42,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
2,3,42,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
2,3,42,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
2,3,42,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
2,3,42,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretili olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye	Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :

1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>TÜRKAK</p> <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>

1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method
1,2,3,42,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
<p>1,2,3,42,3,42,3,4 Urine (Human)</p>	<p>Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method</p>	<p>In-house method</p>
<p>1,2,3,42,3,42,3,4 Urine (Human)</p>	<p>Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method</p>	<p>In-house method</p>
<p>1,2,3,42,3,42,3,4 Urine (Human)</p>	<p>Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method</p>	<p>In-house method</p>
<p>1,2,3,42,3,42,3,4 Urine (Human)</p>	<p>Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method</p>	<p>In-house method</p>
<p>1,2,3,42,3,42,3,4 Urine (Human)</p>	<p>Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: GC-NPD Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye	Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Ephedrine-Type Stimulants and Isomeric Groups by Chromatographic Separation Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>

2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>

2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)


¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : - Email : tdkm@hacettepe.edu.tr Website :</p>	
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Ephedrine-Type Stimulants Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory



Accreditation Nr: AB-0807-T

Revision Nr: 10 Date: 03.08.2023

Testing Laboratory

Address :
H.TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara /
Türkiye

Phone	: +90 312 310 6776
Fax	: -
Email	: tdkm@hacettepe.edu.tr
Website	:

Esnek Kapsam: Laboratuvar onaylanmış ve dokümente edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız. (<https://www.turkak.org.tr>)

⁴Can add technical equivalent standard methods to the scope of the laboratory



Accreditation Nr: AB-0807-T

Revision Nr: 10 Date: 03.08.2023

Testing Laboratory

Address :
H.TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara /
Türkiye

Phone	: +90 312 310 6776
Fax	: -
Email	: tdkm@hacettepe.edu.tr
Website	:

Esnek Kapsam: Laboratuvar onaylanmış ve dokümente edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız. (<https://www.turkak.org.tr>)

⁴Can add technical equivalent standard methods to the scope of the laboratory

This document has been signed by **Gülden Banu Müderrisoğlu** on {1} with a secure electronic signature in accordance with the electronic signature law numbered 5070. Use the QR code to verify the e-signed document.



Accreditation Nr: AB-0807-T

Revision Nr: 10 Date: 03.08.2023

Testing Laboratory

Address :
H.TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara /
Türkiye

Phone	: +90 312 310 6776
Fax	: -
Email	: tdkm@hacettepe.edu.tr
Website	:

Esnek Kapsam: Laboratuvar onaylanmış ve dokümente edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız. (<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory



Accreditation Nr: AB-0807-T

Revision Nr: 10 Date: 03.08.2023

Testing Laboratory

Address :
H.TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara /
Türkiye

Phone	: +90 312 310 6776
Fax	: -
Email	: tdkm@hacettepe.edu.tr
Website	:

Esnek Kapsam: Laboratuvar onaylanmış ve dokümente edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız. (<https://www.turkak.org.tr>)

⁴Can add technical equivalent standard methods to the scope of the laboratory

This document has been signed by **Gülden Banu Müderrisoğlu** on {1} with a secure electronic signature in accordance with the electronic signature law numbered 5070. Use the QR code to verify the e-signed document.

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>	
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİVERSİTESİ SERMAYE İŞLETİM MÜDÜRLÜĞÜ NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye	Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>	
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>	
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory



Accreditation Nr: AB-0807-T

Revision Nr: 10 Date: 03.08.2023

Testing Laboratory

Address :
H.TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara /
Türkiye

Phone	: +90 312 310 6776
Fax	: -
Email	: tdkm@hacettepe.edu.tr
Website	:

Esnek Kapsam: Laboratuvar onaylanmış ve dokümente edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız. (<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	Address :	Phone : +90 312 310 6776
	H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara /	Fax : tdkm@hacettepe.edu.tr
	Türkiye	Email :
		Website :
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotis and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotis and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotis and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotis and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotis and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotis and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotis and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotis and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotis and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotis and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>	
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve doküman edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)


¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotis and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method</p>	
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotis and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method</p>	
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotis and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method</p>	
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotis and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method</p>	
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotis and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method</p>	
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotis and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method</p>	
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotis and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method</p>	
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotis and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method</p>	
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotis and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method</p>	
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotis and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method</p>	
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotis and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method</p>	
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotis and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method</p>	
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotis and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method</p>	
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotis and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method</p>	
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotis and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method</p>	
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotis and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method</p>	
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotis and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method</p>	
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotis and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction - Derivatization Analytical technique: GC-MS Method</p>	

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanılabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : - Email : tdkm@hacettepe.edu.tr Website :</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of D- and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of D- and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of D- and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of D- and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of D- and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of D- and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of D- and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of D- and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of D- and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of D- and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of D- and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of D- and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of D- and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method</p>	<p>In-house method</p>

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli alanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>

2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of D- and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of D- and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of D- and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of D- and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of D- and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of D- and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of D- and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of D- and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of D- and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of D- and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of D- and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of D- and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of D- and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of D- and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of D- and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : - Email : tdkm@hacettepe.edu.tr Website : -</p>	
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of D-and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of D-and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of D-and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of D-and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of D-and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of D-and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of D-and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of D-and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of D-and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of D-and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of D-and L-Metamfetamine Sample preparation: Liquid-liquid extraction - Derivatization Analytical technique: GC/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : - Email : tdkm@hacettepe.edu.tr Website :</p>	
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : - Email : tdkm@hacettepe.edu.tr Website :</p>	
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)


¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Quantitative Confirmation Procedure of Morphine Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method</p>	<p>In-house method</p>

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretili olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>	
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Plasma Expanders and Confounding Factors which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Plasma Expanders which are included in WADA Prohibited List Sample preparation: Chemical hydrolysis- Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	Address :	Phone : +90 312 310 6776
	H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara /	Fax : -
	Türkiye	Email : tdkm@hacettepe.edu.tr
		Website :

2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : - Email : tdkm@hacettepe.edu.tr Website :</p>	
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)


¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>	
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Confounding Factors Sample preparation: Derivatization Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>In-house method</p>

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>

2,3,42,3,4 Urine (Human)	Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)


¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	
	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>	
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>In-house method</p>

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)


¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <hr/> <p>Testing Laboratory</p> <hr/> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>	
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,4 Urine (Human)</p>	<p>Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>##If you are using an internal method, write your method in accordance with the "Internal Method-Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##</p>
<p>2,3,4 Urine (Human)</p>	<p>Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>##If you are using an internal method, write your method in accordance with the "Internal Method-Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##</p>

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
2,3,4 Urine (Human)	<p>Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##</p>
2,3,4 Urine (Human)	<p>Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##</p>
2,3,4 Urine (Human)	<p>Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##</p>
2,3,4 Urine (Human)	<p>Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##</p>
2,3,4 Urine (Human)	<p>Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##</p>
2,3,4 Urine (Human)	<p>Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##</p>
2,3,4 Urine (Human)	<p>Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##</p>

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
<p>2,3,4 Urine (Human)</p>	<p>Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##</p>
<p>2,3,4 Urine (Human)</p>	<p>Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##</p>
<p>2,3,4 Urine (Human)</p>	<p>Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##</p>
<p>2,3,4 Urine (Human)</p>	<p>Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##</p>
<p>2,3,4 Urine (Human)</p>	<p>Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##</p>
<p>2,3,4 Urine (Human)</p>	<p>Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##</p>
<p>2,3,4 Urine (Human)</p>	<p>Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##</p>

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p style="text-align: center;">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p style="text-align: center;">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
--	---

2,3,4 Urine (Human)	Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##
2,3,4 Urine (Human)	Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##
2,3,4 Urine (Human)	Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##
2,3,4 Urine (Human)	Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##
2,3,4 Urine (Human)	Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##
2,3,4 Urine (Human)	Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##
2,3,4 Urine (Human)	Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##
2,3,4 Urine (Human)	Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##
2,3,4 Urine (Human)	Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye	Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :

2,3,4 Urine (Human)	Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##
2,3,4 Urine (Human)	Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##
2,3,4 Urine (Human)	Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##
2,3,4 Urine (Human)	Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##
2,3,4 Urine (Human)	Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##
2,3,4 Urine (Human)	Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##
2,3,4 Urine (Human)	Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##
2,3,4 Urine (Human)	Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##
2,3,4 Urine (Human)	Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)


¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>	
2,3,4 Urine (Human)	Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##
2,3,4 Urine (Human)	Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##
2,3,4 Urine (Human)	Confirmation Procedure including Qualitative Detection of Anabolic Agents excreted free and/or conjugated in urine and Some Stimulants, Beta-2 Agonists, Hormone and Metabolic Modulators as well as Quantitative Detection of Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	##If you are using an internal method, write your method in accordance with the "Internal Method- "Instruction No/SOP No (Rev No)" (Standard/Modified from Publication.) format.##
2,3,4,2,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,4,2,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,4,2,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,4,2,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,4,2,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,4,2,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,4,2,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,4,2,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,4,2,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,4,2,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,4,2,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>

2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>

2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>

2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Tetrahydrocannabinol (THC) Metabolite Sample preparation: Liquid-liquid extraction Analytical technique: GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>	
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p style="text-align: center;">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p style="text-align: center;">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : - Email : tdkm@hacettepe.edu.tr Website :</p>

2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Salbutamol Sample preparation: Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : - Email : tdkm@hacettepe.edu.tr Website :</p>	
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve doküman edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye	Phone : +90 312 310 6776 Fax : - Email : tdkm@hacettepe.edu.tr Website :

2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye	Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :

2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of Formoterol Sample preparation: Enzymatic hydrolysis - Dilute and shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : - Email : tdkm@hacettepe.edu.tr Website :</p>	
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : - Email : tdkm@hacettepe.edu.tr Website : -</p>	
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİVERSİTESİ SERMAYE İŞLETİM MÜDÜRLÜĞÜ NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of 19-Norsteroids Sample preparation: Liquid-liquid extraction - Solid phase extraction Analytical technique: GC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Quantitative Confirmation Procedure of ¹³C/¹²C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Quantitative Confirmation Procedure of ¹³C/¹²C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Quantitative Confirmation Procedure of ¹³C/¹²C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Quantitative Confirmation Procedure of ¹³C/¹²C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Quantitative Confirmation Procedure of ¹³C/¹²C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Quantitative Confirmation Procedure of ¹³C/¹²C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Quantitative Confirmation Procedure of ¹³C/¹²C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Quantitative Confirmation Procedure of ¹³C/¹²C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Quantitative Confirmation Procedure of ¹³C/¹²C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method</p>	<p>In-house method</p>

Esnek Kapsam: Laboratuvar onaylanmış ve doküman edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye	Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye	Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye	Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Quantitative Confirmation Procedure of ¹³ C/ ¹² C Isotope Ratios of the Endogenous Steroids which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Solid phase extraction - Derivatization Analytical technique: GC-C-IRMS and GC-MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>	
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>	
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>	
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p style="text-align: center;">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p style="text-align: center;">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>

2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : - Email : tdkm@hacettepe.edu.tr Website :</p>	
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>	
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)


¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>	
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>	
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Diuretics and Masking Agents, Some Anabolic Agents and Hormone and Metabolic Modulators, Stimulants and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method</p>	<p>In-house method</p>

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye	Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :

2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : - Email : tdkm@hacettepe.edu.tr Website : -</p>	
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing and Confirmation Procedures of hGH Isoforms Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing and Confirmation Procedures of hGH Isoforms Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing and Confirmation Procedures of hGH Isoforms Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing and Confirmation Procedures of hGH Isoforms Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing and Confirmation Procedures of hGH Isoforms Analytical technique: Immunoassay Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>

2,3,42,3,4 Serum (Human)	Initial Testing and Confirmation Procedures of hGH Isoforms Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing and Confirmation Procedures of hGH Isoforms Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing and Confirmation Procedures of hGH Isoforms Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing and Confirmation Procedures of hGH Isoforms Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing and Confirmation Procedures of hGH Isoforms Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing and Confirmation Procedures of hGH Isoforms Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing and Confirmation Procedures of hGH Isoforms Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing and Confirmation Procedures of hGH Isoforms Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing and Confirmation Procedures of hGH Isoforms Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing and Confirmation Procedures of hGH Isoforms Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing and Confirmation Procedures of hGH Isoforms Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing and Confirmation Procedures of hGH Isoforms Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing and Confirmation Procedures of hGH Isoforms Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing and Confirmation Procedures of hGH Isoforms Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing and Confirmation Procedures of hGH Isoforms Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing and Confirmation Procedures of hGH Isoforms Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing and Confirmation Procedures of hGH Isoforms Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing and Confirmation Procedures of hGH Isoforms Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing and Confirmation Procedures of hGH Isoforms Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing and Confirmation Procedures of hGH Isoforms Analytical technique: Immunoassay Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory



Accreditation Nr: AB-0807-T

Revision Nr: 10 Date: 03.08.2023

Testing Laboratory

Address :
H.TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara /
Türkiye

Phone	: +90 312 310 6776
Fax	: -
Email	: tdkm@hacettepe.edu.tr
Website	:

Esnek Kapsam: Laboratuvar onaylanmış ve dokümente edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız. (<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
<p>2,3,42,3,4 • Urine (Human) • Serum (Human) • Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 • Urine (Human) • Serum (Human) • Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 • Urine (Human) • Serum (Human) • Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 • Urine (Human) • Serum (Human) • Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 • Urine (Human) • Serum (Human) • Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 • Urine (Human) • Serum (Human) • Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 • Urine (Human) • Serum (Human) • Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 • Urine (Human) • Serum (Human) • Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 • Urine (Human) • Serum (Human) • Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 • Urine (Human) • Serum (Human) • Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 • Urine (Human) • Serum (Human) • Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 • Urine (Human) • Serum (Human) • Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 • Urine (Human) • Serum (Human) • Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 • Urine (Human) • Serum (Human) • Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 • Urine (Human) • Serum (Human) • Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 • Urine (Human) • Serum (Human) • Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 • Urine (Human) • Serum (Human) • Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 • Urine (Human) • Serum (Human) • Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 • Urine (Human) • Serum (Human) • Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 • Urine (Human) • Serum (Human) • Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 • Urine (Human) • Serum (Human) • Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 • Urine (Human) • Serum (Human) • Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 • Urine (Human) • Serum (Human) • Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 • Urine (Human) • Serum (Human) • Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 • Urine (Human) • Serum (Human) • Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>

<p>2,3,42,3,4</p> <ul style="list-style-type: none"> Urine (Human) Serum (Human) Plasma (Human) 	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <ul style="list-style-type: none"> Urine (Human) Serum (Human) Plasma (Human) 	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <ul style="list-style-type: none"> Urine (Human) Serum (Human) Plasma (Human) 	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <ul style="list-style-type: none"> Urine (Human) Serum (Human) Plasma (Human) 	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <ul style="list-style-type: none"> Urine (Human) Serum (Human) Plasma (Human) 	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <ul style="list-style-type: none"> Urine (Human) Serum (Human) Plasma (Human) 	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <ul style="list-style-type: none"> Urine (Human) Serum (Human) Plasma (Human) 	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <ul style="list-style-type: none"> Urine (Human) Serum (Human) Plasma (Human) 	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <ul style="list-style-type: none"> Urine (Human) Serum (Human) Plasma (Human) 	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <ul style="list-style-type: none"> Urine (Human) Serum (Human) Plasma (Human) 	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <ul style="list-style-type: none"> Urine (Human) Serum (Human) Plasma (Human) 	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <ul style="list-style-type: none"> Urine (Human) Serum (Human) Plasma (Human) 	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>

<p>2,3,42,3,4</p> <ul style="list-style-type: none"> Urine (Human) Serum (Human) Plasma (Human) 	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <ul style="list-style-type: none"> Urine (Human) Serum (Human) Plasma (Human) 	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <ul style="list-style-type: none"> Urine (Human) Serum (Human) Plasma (Human) 	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <ul style="list-style-type: none"> Urine (Human) Serum (Human) Plasma (Human) 	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <ul style="list-style-type: none"> Urine (Human) Serum (Human) Plasma (Human) 	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <ul style="list-style-type: none"> Urine (Human) Serum (Human) Plasma (Human) 	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <ul style="list-style-type: none"> Urine (Human) Serum (Human) Plasma (Human) 	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <ul style="list-style-type: none"> Urine (Human) Serum (Human) Plasma (Human) 	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <ul style="list-style-type: none"> Urine (Human) Serum (Human) Plasma (Human) 	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <ul style="list-style-type: none"> Urine (Human) Serum (Human) Plasma (Human) 	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <ul style="list-style-type: none"> Urine (Human) Serum (Human) Plasma (Human) 	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <ul style="list-style-type: none"> Urine (Human) Serum (Human) Plasma (Human) 	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>TÜRKAK</p> <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>

<p>2,3,42,3,4</p> <ul style="list-style-type: none"> Urine (Human) Serum (Human) Plasma (Human) 	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <ul style="list-style-type: none"> Urine (Human) Serum (Human) Plasma (Human) 	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <ul style="list-style-type: none"> Urine (Human) Serum (Human) Plasma (Human) 	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <ul style="list-style-type: none"> Urine (Human) Serum (Human) Plasma (Human) 	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <p>Urine (Human)</p>	<p>Initial Testing Procedure of Glucocorticoids, Efavoxiraxal (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <p>Urine (Human)</p>	<p>Initial Testing Procedure of Glucocorticoids, Efavoxiraxal (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <p>Urine (Human)</p>	<p>Initial Testing Procedure of Glucocorticoids, Efavoxiraxal (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <p>Urine (Human)</p>	<p>Initial Testing Procedure of Glucocorticoids, Efavoxiraxal (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <p>Urine (Human)</p>	<p>Initial Testing Procedure of Glucocorticoids, Efavoxiraxal (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <p>Urine (Human)</p>	<p>Initial Testing Procedure of Glucocorticoids, Efavoxiraxal (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4</p> <p>Urine (Human)</p>	<p>Initial Testing Procedure of Glucocorticoids, Efavoxiraxal (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	Address :	Phone : +90 312 310 6776
	H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara /	Fax : -
	Türkiye	Email : tdkm@hacettepe.edu.tr
		Website : -
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone And Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>	
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Glucocorticoids, Efavoxirral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Glucocorticoids, Efavoxirral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Glucocorticoids, Efavoxirral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Glucocorticoids, Efavoxirral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Glucocorticoids, Efavoxirral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Glucocorticoids, Efavoxirral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Glucocorticoids, Efavoxirral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Glucocorticoids, Efavoxirral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Glucocorticoids, Efavoxirral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Glucocorticoids, Efavoxirral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efavoxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efavoxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efavoxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efavoxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efavoxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efavoxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efavoxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efavoxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)


¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Glucocorticoids, Efaproxiral (RSR 13) and Some Anabolic Agents, Beta-2 Agonists, Hormone and Metabolic Modulators, Stimulants, Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Serum (Human)	<p>Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method</p>	
2,3,42,3,4 Serum (Human)	<p>Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method</p>	
2,3,42,3,4 Serum (Human)	<p>Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method</p>	
2,3,42,3,4 Serum (Human)	<p>Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method</p>	
2,3,42,3,4 Serum (Human)	<p>Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method</p>	
2,3,42,3,4 Serum (Human)	<p>Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method</p>	
2,3,42,3,4 Serum (Human)	<p>Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method</p>	
2,3,42,3,4 Serum (Human)	<p>Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method</p>	
2,3,42,3,4 Serum (Human)	<p>Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method</p>	
2,3,42,3,4 Serum (Human)	<p>Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method</p>	
2,3,42,3,4 Serum (Human)	<p>Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method</p>	
2,3,42,3,4 Serum (Human)	<p>Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method</p>	
2,3,42,3,4 Serum (Human)	<p>Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method</p>	
2,3,42,3,4 Serum (Human)	<p>Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method</p>	
2,3,42,3,4 Serum (Human)	<p>Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method</p>	
2,3,42,3,4 Serum (Human)	<p>Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method</p>	
2,3,42,3,4 Serum (Human)	<p>Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method</p>	
2,3,42,3,4 Serum (Human)	<p>Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method</p>	

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>

2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>	
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Serum (Human)	Initial Testing Procedure of hGH Biomarkers which are included in WADA Prohibited List Analytical technique: Immunoassay Method	In-house method
2,3,42,3,4 Whole Blood (Human)	Procedure of Hematological Module Analysis for Athlete Biological Passport Analytical technique: Flow Cytometry Method	In-house method
2,3,42,3,4 Whole Blood (Human)	Procedure of Hematological Module Analysis for Athlete Biological Passport Analytical technique: Flow Cytometry Method	In-house method
2,3,42,3,4 Whole Blood (Human)	Procedure of Hematological Module Analysis for Athlete Biological Passport Analytical technique: Flow Cytometry Method	In-house method
2,3,42,3,4 Whole Blood (Human)	Procedure of Hematological Module Analysis for Athlete Biological Passport Analytical technique: Flow Cytometry Method	In-house method
2,3,42,3,4 Whole Blood (Human)	Procedure of Hematological Module Analysis for Athlete Biological Passport Analytical technique: Flow Cytometry Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>	
2,3,42,3,4 Whole Blood (Human)	Procedure of Hematological Module Analysis for Athlete Biological Passport Analytical technique: Flow Cytometry Method	In-house method
2,3,42,3,4 Whole Blood (Human)	Procedure of Hematological Module Analysis for Athlete Biological Passport Analytical technique: Flow Cytometry Method	In-house method
2,3,42,3,4 Whole Blood (Human)	Procedure of Hematological Module Analysis for Athlete Biological Passport Analytical technique: Flow Cytometry Method	In-house method
2,3,42,3,4 Whole Blood (Human)	Procedure of Hematological Module Analysis for Athlete Biological Passport Analytical technique: Flow Cytometry Method	In-house method
2,3,42,3,4 Whole Blood (Human)	Procedure of Hematological Module Analysis for Athlete Biological Passport Analytical technique: Flow Cytometry Method	In-house method
2,3,42,3,4 Whole Blood (Human)	Procedure of Hematological Module Analysis for Athlete Biological Passport Analytical technique: Flow Cytometry Method	In-house method
2,3,42,3,4 Whole Blood (Human)	Procedure of Hematological Module Analysis for Athlete Biological Passport Analytical technique: Flow Cytometry Method	In-house method
2,3,42,3,4 Whole Blood (Human)	Procedure of Hematological Module Analysis for Athlete Biological Passport Analytical technique: Flow Cytometry Method	In-house method
2,3,42,3,4 Whole Blood (Human)	Procedure of Hematological Module Analysis for Athlete Biological Passport Analytical technique: Flow Cytometry Method	In-house method
2,3,42,3,4 Whole Blood (Human)	Procedure of Hematological Module Analysis for Athlete Biological Passport Analytical technique: Flow Cytometry Method	In-house method
2,3,42,3,4 Whole Blood (Human)	Procedure of Hematological Module Analysis for Athlete Biological Passport Analytical technique: Flow Cytometry Method	In-house method
2,3,42,3,4 Whole Blood (Human)	Procedure of Hematological Module Analysis for Athlete Biological Passport Analytical technique: Flow Cytometry Method	In-house method
2,3,42,3,4 Whole Blood (Human)	Procedure of Hematological Module Analysis for Athlete Biological Passport Analytical technique: Flow Cytometry Method	In-house method
2,3,42,3,4 Whole Blood (Human)	Procedure of Hematological Module Analysis for Athlete Biological Passport Analytical technique: Flow Cytometry Method	In-house method
2,3,42,3,4 Whole Blood (Human)	Procedure of Hematological Module Analysis for Athlete Biological Passport Analytical technique: Flow Cytometry Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory



Revision Nr: 10 Date: 03.08.2023

Address :

Phone : +90 312 310 6776
Fax : -
Email : tdkm@hacettepe.edu.tr
Website :

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız. (<https://www.turkak.org.tr>)

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye	Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :

2,3,42,3,4 Whole Blood (Human)	Procedure of Hematological Module Analysis for Athlete Biological Passport Analytical technique: Flow Cytometry Method	In-house method
2,3,42,3,4 Whole Blood (Human)	Procedure of Hematological Module Analysis for Athlete Biological Passport Analytical technique: Flow Cytometry Method	In-house method
2,3,42,3,4 Whole Blood (Human)	Procedure of Hematological Module Analysis for Athlete Biological Passport Analytical technique: Flow Cytometry Method	In-house method
2,3,42,3,4 Whole Blood (Human)	Procedure of Hematological Module Analysis for Athlete Biological Passport Analytical technique: Flow Cytometry Method	In-house method
2,3,42,3,4 Whole Blood (Human)	Procedure of Hematological Module Analysis for Athlete Biological Passport Analytical technique: Flow Cytometry Method	In-house method
2,3,42,3,4 Whole Blood (Human)	Procedure of Hematological Module Analysis for Athlete Biological Passport Analytical technique: Flow Cytometry Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>	
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>

2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>
<p>2,3,42,3,4 Urine (Human)</p>	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	<p>In-house method</p>

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	
	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye	Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	Address :	Phone : +90 312 310 6776
	H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara /	Fax : -
	Türkiye	Email : tdkm@hacettepe.edu.tr
		Website : -
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Small Peptides which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	
	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	Address :	Phone : +90 312 310 6776
	H. TEPE ÜNİVERSİTESİ SERMAYE İŞLETİM MÜDÜRLÜĞÜ NO:Y ALTINDAĞ ANKARA /	Fax : +90 312 310 6776
	Türkiye	Email : tdkm@hacettepe.edu.tr
		Website : tdkm@hacettepe.edu.tr
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve doküman edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	
	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>	
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Growth Factors and Modulators which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	Address :	Phone : +90 312 310 6776
	H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara /	Fax : -
	Türkiye	Email : tdkm@hacettepe.edu.tr
		Website : -
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	Address :	Phone : +90 312 310 6776
	H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara /	Fax : -
	Türkiye	Email : tdkm@hacettepe.edu.tr
		Website : -
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>	
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of Some Doping Substances which are included in WADA Prohibited List Sample preparation: Dilute and Shoot Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : - Email : tdkm@hacettepe.edu.tr Website :</p>
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : - Email : tdkm@hacettepe.edu.tr Website :</p>
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye	Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :

2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Initial Testing Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye	Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye	Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method
2,3,42,3,4 Urine (Human)	Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
2,3,42,3,4 Urine (Human)	<p>Qualitative Confirmation Procedure of HIF Activating Agents which are included in WADA Prohibited List Sample preparation: Solid phase extraction Analytical technique: LC-MS/MS Method</p>	In-house method
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	
1,2,3,42,3,4 Urine (Human)	<p>Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method</p>	

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

Accreditation Scope

 <p>TÜRKAK</p> <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	Testing Laboratory	
	Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye	Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :

1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method
1,2,3,42,3,4 Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method	In-house method

Esnek Kapsam: Laboratuvar onaylanmış ve dokümanite edilmiş prosedürlerine uygun olarak ve aynı ölçüm tekniğine bağlı kalarak aşağıdaki esnek kapsam parametrelerinden kapsamında işaretli olanları kullanabilir. Ayrıntılar için TÜRKAK web sitesindeki laboratuvara ait ilave akredite deneyler listesine bakınız.(<https://www.turkak.org.tr>)

¹Can add new materials/products to the scope of the lab

²Can add new experimental parameters to the laboratory scope

³The laboratory can make changes in test method performance

⁴Can add technical equivalent standard methods to the scope of the laboratory

This document has been signed by Gülden Banu Müderrisoğlu on {1} with a secure electronic signature in accordance with the electronic signature law numbered 5070. Use the QR code to verify the e-signed document.

Additional Scope


 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p style="text-align: center;">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p style="text-align: center;">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <hr/> <p>Testing Laboratory</p> <hr/> <table border="0" style="width: 100%;"> <tr> <td style="width: 50%;"> Address : H. TEPE ÜNİV. DÖNER SERMAYE İŞLTM. MÜDÜRL NO: Y ALTINDAĞ Ankara / Türkiye </td><td style="width: 50%;"> Phone : +90 312 310 6776 Fax : - Email : tdkm@hacettepe.edu.tr Website : </td></tr> </table>	Address : H. TEPE ÜNİV. DÖNER SERMAYE İŞLTM. MÜDÜRL NO: Y ALTINDAĞ Ankara / Türkiye	Phone : +90 312 310 6776 Fax : - Email : tdkm@hacettepe.edu.tr Website :
Address : H. TEPE ÜNİV. DÖNER SERMAYE İŞLTM. MÜDÜRL NO: Y ALTINDAĞ Ankara / Türkiye	Phone : +90 312 310 6776 Fax : - Email : tdkm@hacettepe.edu.tr Website :		

Drugs, Biological Products and Pharmaceuticals

Tested Materials / Products	Name of Test	Testing Method (National, International Standards, In-house Methods)
² ² Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method (03.10.2022) 4-Fluoro pentedrone is added. (10.04.2023) Solriamfetol, Nicomorphine, 6-Nicotinoylmorphine is added.	Lab-developed method TA040 (R8) TA040 (R9)
² ² Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method (03.10.2022) 4-Fluoro pentedrone is added. (10.04.2023) Solriamfetol, Nicomorphine, 6-Nicotinoylmorphine is added.	Lab-developed method TA040 (R8) TA040 (R9)
² ² Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method (03.10.2022) 4-Fluoro pentedrone is added. (10.04.2023) Solriamfetol, Nicomorphine, 6-Nicotinoylmorphine is added.	Lab-developed method TA040 (R8) TA040 (R9)
² ² Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method (03.10.2022) 4-Fluoro pentedrone is added. (10.04.2023) Solriamfetol, Nicomorphine, 6-Nicotinoylmorphine is added.	Lab-developed method TA040 (R8) TA040 (R9)
² ² Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method (03.10.2022) 4-Fluoro pentedrone is added. (10.04.2023) Solriamfetol, Nicomorphine, 6-Nicotinoylmorphine is added.	Lab-developed method TA040 (R8) TA040 (R9)
² ² Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method (03.10.2022) 4-Fluoro pentedrone is added. (10.04.2023) Solriamfetol, Nicomorphine, 6-Nicotinoylmorphine is added.	Lab-developed method TA040 (R8) TA040 (R9)
² ² Urine (Human)	Initial Testing Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method (03.10.2022) 4-Fluoro pentedrone is added. (10.04.2023) Solriamfetol, Nicomorphine, 6-Nicotinoylmorphine is added.	Lab-developed method TA040 (R8) TA040 (R9)
² ² Urine (Human)	Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method (03.10.2022) 4-Fluoro pentedrone is added. (10.04.2023) Nicomorphine is added.	Lab-developed method DA044 (R7) DA044 (R8)



Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	
	<p>Phone : +90 312 310 6776 Fax : - Email : tdkm@hacettepe.edu.tr Website :</p>	
<p>² ²Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method (03.10.2022) 4-Fluoro pentedrone is added. (10.04.2023) Nicomorphine is added.</p>	<p>Lab-developed method DA044 (R7) DA044 (R8)</p>
<p>² ²Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method (03.10.2022) 4-Fluoro pentedrone is added. (10.04.2023) Nicomorphine is added.</p>	<p>Lab-developed method DA044 (R7) DA044 (R8)</p>
<p>² ²Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method (03.10.2022) 4-Fluoro pentedrone is added. (10.04.2023) Nicomorphine is added.</p>	<p>Lab-developed method DA044 (R7) DA044 (R8)</p>
<p>² ²Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method (03.10.2022) 4-Fluoro pentedrone is added. (10.04.2023) Nicomorphine is added.</p>	<p>Lab-developed method DA044 (R7) DA044 (R8)</p>
<p>² ²Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method (03.10.2022) 4-Fluoro pentedrone is added. (10.04.2023) Nicomorphine is added.</p>	<p>Lab-developed method DA044 (R7) DA044 (R8)</p>
<p>² ²Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile Nitrogen Containing Stimulants, Some Narcotics and Beta-Blockers which are included in WADA Prohibited List Sample preparation: Liquid-liquid extraction Analytical technique: LC-MS/MS Method (03.10.2022) 4-Fluoro pentedrone is added. (10.04.2023) Nicomorphine is added.</p>	<p>Lab-developed method DA044 (R7) DA044 (R8)</p>
<p>² Urine (Human)</p>	<p>Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method (01.02.2023) Total hCG was added.</p>	<p>Standard method TA046 (R2)</p>
<p>² Urine (Human)</p>	<p>Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method (01.02.2023) Total hCG was added.</p>	<p>Standard method TA046 (R2)</p>
<p>² Urine (Human)</p>	<p>Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method (01.02.2023) Total hCG was added.</p>	<p>Standard method TA046 (R2)</p>
<p>² Urine (Human)</p>	<p>Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method (01.02.2023) Total hCG was added.</p>	<p>Standard method TA046 (R2)</p>
<p>² Urine (Human)</p>	<p>Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method (01.02.2023) Total hCG was added.</p>	<p>Standard method TA046 (R2)</p>
<p>² Urine (Human)</p>	<p>Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method (01.02.2023) Total hCG was added.</p>	<p>Standard method TA046 (R2)</p>




Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <hr/> <p>Testing Laboratory</p> <hr/> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : Email : tdkm@hacettepe.edu.tr Website :</p>	
2 Urine (Human)	Initial Testing Procedure of Intact-hCG and Total LH Analytical technique: Immunoassay Method (01.02.2023) Total hCG was added.	Standard method TA046 (R2)
2 Urine (Human)	Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method (10.04.2023) Solriamfetol is added.	Lab-developed method TA041 (R9)
2 Urine (Human)	Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method (10.04.2023) Solriamfetol is added.	Lab-developed method TA041 (R9)
2 Urine (Human)	Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method (10.04.2023) Solriamfetol is added.	Lab-developed method TA041 (R9)
2 Urine (Human)	Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method (10.04.2023) Solriamfetol is added.	Lab-developed method TA041 (R9)
2 Urine (Human)	Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method (10.04.2023) Solriamfetol is added.	Lab-developed method TA041 (R9)
2 Urine (Human)	Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method (10.04.2023) Solriamfetol is added.	Lab-developed method TA041 (R9)
2 Urine (Human)	Initial Testing Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics And Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method (10.04.2023) Solriamfetol is added.	Lab-developed method TA041 (R9)
2 Urine (Human)	Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method (10.04.2023) Solriamfetol, 6-Nicotinoylmorphine is added.	Lab-developed method DA046 (R9)
2 Urine (Human)	Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method (10.04.2023) Solriamfetol, 6-Nicotinoylmorphine is added.	Lab-developed method DA046 (R9)
2 Urine (Human)	Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method (10.04.2023) Solriamfetol, 6-Nicotinoylmorphine is added.	Lab-developed method DA046 (R9)
2 Urine (Human)	Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method (10.04.2023) Solriamfetol, 6-Nicotinoylmorphine is added.	Lab-developed method DA046 (R9)




Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p> <p>Testing Laboratory</p> <p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p> <p>Phone : +90 312 310 6776 Fax : - Email : tdkm@hacettepe.edu.tr Website : -</p>	
<p>2 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method (10.04.2023) Solriamfetol, 6-Nicotinoylmorphine is added.</p>	<p>Lab-developed method DA046 (R9)</p>
<p>2 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method (10.04.2023) Solriamfetol, 6-Nicotinoylmorphine is added.</p>	<p>Lab-developed method DA046 (R9)</p>
<p>2 Urine (Human)</p>	<p>Qualitative Confirmation Procedure of Volatile or Heavy Volatile Nitrogen Containing Stimulants, Narcotics and Beta-Blockers Excreted Free and/or Conjugated in Urine which are included in WADA Prohibited List Sample preparation: Enzymatic hydrolysis - Liquid-liquid extraction Analytical technique: LC-MS/MS Method (10.04.2023) Solriamfetol, 6-Nicotinoylmorphine is added.</p>	<p>Lab-developed method DA046 (R9)</p>
<p>4 • 4Serum (Human) • 4Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method (10.04.2023) Bead and antibody changes were made in the magnetic bead method used in the serum/plasma immunopurification stage.</p>	<p>Lab-developed method TA034 (R16)</p>
<p>4 • 4Serum (Human) • 4Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method (10.04.2023) Bead and antibody changes were made in the magnetic bead method used in the serum/plasma immunopurification stage.</p>	<p>Lab-developed method TA034 (R16)</p>
<p>4 • 4Serum (Human) • 4Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method (10.04.2023) Bead and antibody changes were made in the magnetic bead method used in the serum/plasma immunopurification stage.</p>	<p>Lab-developed method TA034 (R16)</p>
<p>4 • 4Serum (Human) • 4Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method (10.04.2023) Bead and antibody changes were made in the magnetic bead method used in the serum/plasma immunopurification stage.</p>	<p>Lab-developed method TA034 (R16)</p>
<p>4 • 4Serum (Human) • 4Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method (10.04.2023) Bead and antibody changes were made in the magnetic bead method used in the serum/plasma immunopurification stage.</p>	<p>Lab-developed method TA034 (R16)</p>
<p>4 • 4Serum (Human) • 4Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method (10.04.2023) Bead and antibody changes were made in the magnetic bead method used in the serum/plasma immunopurification stage.</p>	<p>Lab-developed method TA034 (R16)</p>
<p>4 • 4Serum (Human) • 4Plasma (Human)</p>	<p>Initial Testing and Confirmation Procedures of Erythropoietin and Other EPO-Receptor Agonists Sample preparation: Ultrafiltration - Immunopurification Analytical technique: Gel Electrophoresis (SAR-PAGE) - Immunoblotting Method (10.04.2023) Bead and antibody changes were made in the magnetic bead method used in the serum/plasma immunopurification stage.</p>	<p>Lab-developed method TA034 (R16)</p>
<p>2 2Urine (Human)</p>	<p>Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method (17.05.2023) IOX4, SR9009 ve RAD140 is added.</p>	<p>Lab-developed method TA045 (R1)</p>
<p>2 2Urine (Human)</p>	<p>Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method (17.05.2023) IOX4, SR9009 ve RAD140 is added.</p>	<p>Lab-developed method TA045 (R1)</p>



Accreditation Scope

 <p>Test TS EN ISO/IEC 17025 AB-0807-T</p>	<p align="center">Hacettepe Üniversitesi Türkiye Doping Kontrol Merkezi</p> <p align="center">Accreditation Nr: AB-0807-T Revision Nr: 10 Date: 03.08.2023</p>	
	<p>Testing Laboratory</p>	
	<p>Address : H. TEPE ÜNİV.DÖNER SERMAYE İŞLTM.MÜDÜRL NO:Y ALTINDAĞ Ankara / Türkiye</p>	<p>Phone : +90 312 310 6776 Fax : - Email : tdkm@hacettepe.edu.tr Website :</p>
<p>² ²Urine (Human)</p>	<p>Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method (17.05.2023) IOX4, SR9009 ve RAD140 is added.</p>	<p>Lab-developed method TA045 (R1)</p>
<p>² ²Urine (Human)</p>	<p>Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method (17.05.2023) IOX4, SR9009 ve RAD140 is added.</p>	<p>Lab-developed method TA045 (R1)</p>
<p>² ²Urine (Human)</p>	<p>Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method (17.05.2023) IOX4, SR9009 ve RAD140 is added.</p>	<p>Lab-developed method TA045 (R1)</p>
<p>² ²Urine (Human)</p>	<p>Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method (17.05.2023) IOX4, SR9009 ve RAD140 is added.</p>	<p>Lab-developed method TA045 (R1)</p>
<p>² ²Urine (Human)</p>	<p>Initial Testing Procedure of Small Molecules in WADA Prohibited List Sample preparation: Liquid-liquid extraction - Dilute and shoot Analytical technique: LC-HRMS Method (17.05.2023) IOX4, SR9009 ve RAD140 is added.</p>	<p>Lab-developed method TA045 (R1)</p>

This document has been signed by Gülden Banu Müderrisoğlu on {1} with a secure electronic signature in accordance with the electronic signature law numbered 5070. Use the QR code to verify the e-signed document.

